

Item Name	Price Per Unit	Quantity	Total Price	Comply with BABA?	
ANCHOR, SHACKLE 5/8"		5	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BAIL, HOT LINE CLAMP		10	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BOLT, CARRIAGE 1/2" X 6"		5	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BOLT, D.A. 5/8" X 20"		5	\$ -	Yes	
BOLT, D.A. 5/8" X 22"		5	\$ -	Yes	
BOLT, EYE 5/8 X 10		25	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BOLT, EYE 5/8 X 12		25	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BOLT, EYE 5/8" X 14"		25	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BOLT, MACHINE 5/8" X 10		50	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BOLT, MACHINE 5/8" X 12		50	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BOLT,MACHINE 5/8" x 14"		50	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BOLT, MACHINE 5/8" X 16		50	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BRACKET, NEUTRAL OFFSET		2	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CLAMP, DEADEND #4- 4/0		8	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CLAMP, GROUND ROD 5/8" CU.		50	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CLAMP, HOT LINE - CU TO CU 2/0		10	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CLEVIS, RIGID 3" - FOR K14C, J		15	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CONNECTOR, CRIMPIT WR 189		28	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CRIMPIT, YC4C4		28	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CRIMPIT,YC4C6		10	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CONN, TRANS . GROUND LUG		50	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
FUSE,25KV/14.4 STD SPEED 10E		1	\$ -	Maybe BABA Please provide letter	
FUSE,15KV/7.2 STD SPEED 5 STD		5	\$ -	Maybe BABA Please provide letter	
FUSE,15KV/7.2 STD SPEED 30STD		5	\$ -	Maybe BABA Please provide letter	
FUSE,15KV/7.2 STD SPEED 2AMP		5	\$ -	Maybe BABA Please provide letter	
GUY ATTACHMENT W/EYELET 5/8"		3	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
LINK STRAIGHT FOR POLE BAND		4	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
GUY DEADEND 3/8" - PREFORMED		5	\$ -	Maybe BABA Please provide letter	
GUY DEADEND, STRANDWISE 3/8"		5	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
GUY GUARD		5	\$ -	Maybe BABA Please provide letter	

Item Name	Price Per Unit	Quantity	Total Price	Comply with BABA?	
INSULATOR, FISH 78" CLEVIS/THEMBLE		5	\$ -	Yes	
INSULATOR, PIN TYPE 14.4 - J		2	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
INSULATOR, SPOOL 3"		12	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
STAPLES,1-1/2x1/4 SLASH POINT		1000	\$ -	N/A	
NUT,EYE 5/8"		5	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
LOCKNUTS 5/8" #3512		100	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
PIN, POLE TOP 14.4		2	\$ -	Yes	
BUSHING COVER HALF		2	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BUSS, SEC. INSULATED 6 TAP		9	\$ -	Yes	
ROD, GROUND 5/8" CU		40	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
SCREW, LAG 1/4 X 2 1/2		1000	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
SCREWS, LAG, TWIST, 1/2" X 4"		25	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
TIE, #4-SUPER TOP		5	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
RISER GUARD 3" SCH 40		80	\$ -	YES-Please Provide BABA Letter at time of order	
TRIPLEX, DEADEND #2		20	\$ -	Maybe BABA Please provide letter	
WASHER, SQUARE 2 1/4" FLAT		50	\$ -	YES	
WASHER, 3" CURVED		50	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
ALUM. TRANS.CONN. 350 MCM 5/8" 6 POSTIO		60	\$ -	Yes	
Pulling GRIP, KELLEMS 1.00 - 1.24 (Underground Designed Grips)		25	\$ -	Maybe BABA Please provide letter	
GRIP, KELLEMS 1.00 - 1.24		5	\$ -	Maybe BABA Please provide letter	

Item Name	Price Per Unit	Quantity	Total Price	Comply with BABA?	
COVER CAP, 25KV - INSULATED PROTECTION		6	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
WIRE, #4 STR. COVERED COPPER		500	\$ -	YES	
WIRE, #2 STR. COVERED COPPER		500	\$ -	YES	
WIRE, #8 SD BARE CU SOLID		1000	\$ -	YES	
WIRE, #6 SOLID SD COPPER		630	\$ -	YES	
WIRE, #4 SD BARE CU SOILD		600	\$ -	YES	
WIRE, GUY STRAND 3/8"		250	\$ -	YES	
SPLICE, 25 KV-1/0 MCM		12	\$ -	Maybe BABA Please provide letter	
TERMINAL, PIN #2		50	\$ -	Yes	
TERMINAL, PIN #4/0		25	\$ -	Yes	
TERMINAL, PIN 350		25	\$ -	Yes	
ELBOW, LB 25 KV-1/0 MCM		60	\$ -	Yes	
TERMINATOR, 25 KV - 1/0 MCM		5	\$ -	Maybe BABA Please provide letter	
ANCHOR, CROSS PLATE 20"		6	\$ -	Yes	
ARRESTER, 10kV, MED DUTY		2	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CUTOUT/ARRESTER COMBO 15kV		1		NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BRACKET,STANDOFF 24"		2	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
BRACKET, CLOVERLEAF 18"		6	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CUTOUT,FUSED NON LOADBREAK 15KV		1		NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CUTOUT, FUSED W/LOADBREAK 15/27KV		5	\$ -	Yes	
EPOXILATORS 25KV		5	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
POLE, WOOD 35'4		9	\$ -	YES	
POLE, WOOD 40'4		1	\$ -	YES	
POLE, WOOD 45'4		3	\$ -	YES	
POLE, WOOD 55'4		1	\$ -	YES	
ROD, ANCHOR 3/4" X 8' TWINEYE		6	\$ -	YES	
WIRE, #4 ACSR 7/1 - 14.9'/#		8955	\$ -	Maybe BABA Please provide letter	
WIRE, #2 TRIPLEX - 3.62'/#		1800	\$ -	YES	
ARRESTER, 10KV, RISER		5	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	

Item Name	Price Per Unit	Quantity	Total Price	Comply with BABA?	
ARRESTER, ELBOW 15 KV SURGE		7	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
CAB SECT 1PH 25KV W/MODULE		6	\$ -	YES	
VAULT,ROUND W/COVER & RING		9	\$ -	YES	
JUNCTION BOX ABOVE GRADE		3	\$ -	YES	
GROUND SLEEVE, TRANS 1-PH (TALL)		19	\$ -	YES	
*WIRE, URD TRIPLEX 350 W/ 4/0		4000	\$ -	YES	
WIRE, 25 KV-1/0 MCM OKONITE		17500	\$ -	YES	
METER PEDESTAL		2	\$ -	YES	
XFMR 1.0 KVA CONV 7.2 120V		1	\$ -	YES	
XFMR PAD 15 KVA 1PH 7.2 120/240		18	\$ -	YES	
XFMR PAD 50 KVA 1PH 7.2 120/240		1	\$ -	YES	
Hill Huggers		3	\$ -	YES	
3" HDPE SDR 11		22,000	\$ -	Must request this to be BABA at time of order	
3" Elbows-PVC 48" sweep		5	\$ -	Maybe BABA Please provide letter	
3" Elbows 90degree-PVC 36" sweep		5		Maybe BABA Please provide letter	
CONDUIT, PVC 3" SCH 40 10'LENGTH		5	\$ -	YES	
CONDUIT, PVC 2.5" SCH 40 10'LENGTH		1	\$ -	YES	
3" to 2.5" Reducer PVC		5	\$ -	NO-Need alt if available. If not, quote default vendor and material or an acceptable alternate.	
3" HDPE to PVC Transistion		2	\$ -	YES-Please Provide BABA Letter at time of order	
Storm Safe-#2 Triplex Connector		45	\$ -	Maybe BABA Please provide letter	
HEAT SHRINK PRIMARY 1/0 - 48"		10	\$ -	YES	
Pole Foam		41	\$ -	N/A	
#SGD-0700 GUY WIRE CAGE		50	\$ -	N/A	
UNDERGROUND WARNING SIGN PLASTIC STACK		24	\$ -	N/A	
WARNING TAPE UG		24 rolls 500'	\$ -	N/A	
POLYWATER - PJ 128		72	\$ -	N/A	
CRC CABLE CLEAN RD 02150		24	\$ -	N/A	
#SL150 SILICONE LUBRICANT		24	\$ -	N/A	
TAPE-SCOTCH 3/4" VIOLET 35		100	\$ -	N/A	
TAPE-SCOTCH 3/4" BROWN 35		100	\$ -	N/A	
TAPE SUPER 88 3/4" BLACK		100	\$ -	N/A	
TAPE-SCOTCH 3/4" ORANGE 35		100	\$ -	N/A	
TAPE - SCOTCH 3/4" GREEN 35		100	\$ -	N/A	
TAPE - SCOTCH 3/4" YELLOW 35		100	\$ -	N/A	
TAPE SCOTCH 35 3/4" BLUE		100	\$ -	N/A	
TAPE SCOTCH 35 3/4" WHITE		100	\$ -	N/A	
TAPE SUPER 88 1-1/2" BLACK		100	\$ -	N/A	
TAPE SCOTCH 35 3/4" RED		100	\$ -	N/A	

Item Name	Quoted Manufacturer	Quoted P/N	BABA Compliant Manufacturer	BAB Compliant P/N	
ANCHOR, SHACKLE 5/8"					
BAIL, HOT LINE CLAMP					
BOLT, CARRIAGE 1/2" X 6"					
BOLT, D.A. 5/8" X 20"			MACLEAN	J8870US	
BOLT. D.A. 5/8" X 22"			MACLEAN	J8872US	
BOLT, EYE 5/8 X 10					
BOLT, EYE 5/8 X 12					
BOLT, EYE 5/8" X 14"					
BOLT, MACHINE 5/8" X 10					
BOLT, MACHINE 5/8" X 12					
BOLT,MACHINE 5/8" x 14"					
BOLT, MACHINE 5/8" X 16					
BRACKET, NEUTRAL OFFSET					
CLAMP, DEADEND #4- 4/0					
CLAMP, GROUND ROD 5/8" CU.					
CLAMP, HOT LINE - CU TO CU 2/0					
CLEVIS, RIGID 3" - FOR K14C, J					
CONNECTOR, CRIMPIT WR 189					
CRIMPIT, YC4C4					
CRIMPIT,YC4C6					
CONN, TRANS . GROUND LUG			ABB/Homac	Need Alt	
FUSE,25KV/14.4 STD SPEED 10E					
FUSE,15KV/7.2 STD SPEED 5 STD					
FUSE,15KV/7.2 STD SPEED 30STD					
FUSE,15KV/7.2 STD SPEED 2AMP					
GUY ATTACHMENT W/EYELET 5/8"					
LINK STRAIGHT FOR POLE BAND					
GUY DEADEND 3/8" - PREFORMED			PLP	GDE1107	
GUY DEADEND, STRANDWISE 3/8"					
GUY GUARD					

Item Name	Quoted Manufacturer	Quoted P/N	BABA Compliant Manufacturer	BAB Compliant P/N	
INSULATOR, FISH 78" CLEVIS/THEMBLE			Aluma Form	FGS21-78CT	
INSULATOR, PIN TYPE 14.4 - J					
INSULATOR, SPOOL 3"			PPC	5101	
STAPLES,1-1/2x1/4 SLASH POINT					
NUT,EYE 5/8"					
LOCKNUTS 5/8" #3512					
PIN, POLE TOP 14.4			Hubble	2195P	
BUSHING COVER HALF					
BUSS, SEC. INSULATED 6 TAP			ABB/Homac	RAB6-C	
ROD, GROUND 5/8" CU			GALVAN INDUSTRIES	615883	
SCREW, LAG 1/4 X 2 1/2					
SCREWS, LAG, TWIST, 1/2" X 4"					
TIE, #4-SUPER TOP					
RISER GUARD 3" SCH 40			PRIME CONDUIT	59013N	
TRIPLEX, DEADEND #2					
WASHER, SQUARE 2 1/4" FLAT			MACLEAN	J1075-US	
WASHER, 3" CURVED					
ALUM. TRANS.CONN. 350 MCM 5/8" 6 POSTIO			ABB/Homac	CSW6350 SLC	
Pulling GRIP, KELLEMS 1.00 - 1.24 (Underground Designed Grips)					
GRIP, KELLEMS 1.00 - 1.24					

Item Name	Quoted Manufacturer	Quoted P/N	BABA Compliant Manufacturer	BAB Compliant P/N	
COVER CAP, 25KV - INSULATED PROTECTION					
WIRE, #4 STR. COVERED COPPER			Service wire	Wire From Culloden, WV; Houston, TX; and Phoenix, AZ.	
WIRE, #2 STR. COVERED COPPER			Service wire	Wire From Culloden, WV; Houston, TX; and Phoenix, AZ.	
WIRE, #8 SD BARE CU SOLID			Service wire	Wire From Culloden, WV; Houston, TX; and Phoenix, AZ.	
WIRE, #6 SOLID SD COPPER			Service wire	Wire From Culloden, WV; Houston, TX; and Phoenix, AZ.	
WIRE, #4 SD BARE CU SOILD			Service wire	Wire From Culloden, WV; Houston, TX; and Phoenix, AZ.	
WIRE, GUY STRAND 3/8"			National Strand	1070317	
SPLICE, 25 KV-1/0 MCM			ABB/Homac	Need Alt	
TERMINAL, PIN #2			ABB/Homac	U5U2	
TERMINAL, PIN #4/0			ABB/Homac	RX5U40	
TERMINAL, PIN 350			ABB/Homac	RX5U336	
ELBOW, LB 25 KV-1/0 MCM			ABB/ELASTIMOLD	262LRJS-C5240	
TERMINATOR, 25 KV - 1/0 MCM			3M	PCT21240-4	
ANCHOR, CROSS PLATE 20"			MCLEAN	J3520US	
ARRESTER, 10kV, MED DUTY					
CUTOUT/ARRESTER COMBO 15kV					
BRACKET,STANDOFF 24"					
BRACKET, CLOVERLEAF 18"					
CUTOUT,FUSED NON LOADBREAK 15KV				ICX	
CUTOUT, FUSED W/LOADBREAK 15/27KV			ABB	LBU/LBU-II (Wesco Number is Y2JCBNQA12)	
EPOXILATORS 25KV					
POLE, WOOD 35'4			Bell	WRC 4/35 W1.1G	
POLE, WOOD 40'4			Bell	WRC 4/40 W1.1G	
POLE, WOOD 45'4			Bell	WRC 4/45 W1.1G	
POLE, WOOD 55'4			Bell	WRC 55/4 W1.1G	
ROD, ANCHOR 3/4" X 8' TWINEYE			Hubbell	5358 OR J7528	
WIRE, #4 ACSR 7/1 - 14.9'/#					
WIRE, #2 TRIPLEX - 3.62'/#			Service wire	Wire From Culloden, WV; Houston, TX; and Phoenix, AZ.	
ARRESTER, 10KV, RISER					

Item Name	Quoted Manufacturer	Quoted P/N	BABA Compliant Manufacturer	BAB Compliant P/N	
ARRESTER, ELBOW 15 KV SURGE					
CAB SECT 1PH 25KV W/MODULE			NORDIC	ND-362454-MG-110-4152-W1A	
VAULT,ROUND W/COVER & RING			RINKER	40400, 40150, 40750	
JUNCTION BOX ABOVE GRADE			NORDIC	AG-15HDXB0005P3 WUE #PSP-151530-MG-CE	
GROUND SLEEVE, TRANS 1-PH (TALL)					
*WIRE, URD TRIPLEX 350 W/ 4/0			SOUTHWIRE	SOUTH WIRE - WESLEYAN	
WIRE, 25 KV-1/0 MCM OKONITE			OKONITE	163-23-4072	
METER PEDESTAL			DURHAM		
XFMR 1.0 KVA CONV 7.2 120V			ERMCO	30131-102DOE	
XFMR PAD 15 KVA 1PH 7.2 120/240			ERMCO	8-40111-200DOE	
XFMR PAD 50 KVA 1PH 7.2 120/240			ERMCO	8-70111-200DOE	
Hill Huggers					
3" HDPE SDR 11			DURA-Line	HDP300RSDR011SWBLKR EDNEMPTDSSR1	
3" Elbows-PVC 48" sweep					
3" Elbows 90degree-PVC 36" sweep					
CONDUIT, PVC 3" SCH 40 10'LENGTH			ATKORE IS PREFFERED		
CONDUIT, PVC 2.5" SCH 40 10'LENGTH			ATKORE IS PREFFERED		
3" to 2.5" Reducer PVC					
3" HDPE to PVC Transistion			SHUR-LOCK II COUPLER	20000173	
Storm Safe-#2 Triplex Connector					
HEAT SHRINK PRIMARY 1/0 - 48"			3M	8452	
Pole Foam					
#SGD-0700 GUY WIRE CAGE					
UNDERGROUND WARNING SIGN PLASTIC STACK					
WARNING TAPE UG					
POLYWATER - PJ 128					
CRC CABLE CLEAN RD 02150					
#SL150 SILICONE LUBRICANT					
TAPE-SCOTCH 3/4" VIOLET 35					
TAPE-SCOTCH 3/4" BROWN 35					
TAPE SUPER 88 3/4" BLACK					
TAPE-SCOTCH 3/4" ORANGE 35					
TAPE - SCOTCH 3/4" GREEN 35					
TAPE - SCOTCH 3/4" YELLOW 35					
TAPE SCOTCH 35 3/4" BLUE					
TAPE SCOTCH 35 3/4" WHITE					
TAPE SUPER 88 1-1/2" BLACK					
TAPE SCOTCH 35 3/4" RED					

Item Name	GVP Default Vendor Name	GVP Item Number	GVP Default manufacturer P/N	Notes
ANCHOR, SHACKLE 5/8"	MACLEAN	30201858	J2742	
BAIL, HOT LINE CLAMP	BURNDY	30451000	J990	
BOLT, CARRIAGE 1/2" X 6"	HUBBELL	30500356	8646	
BOLT, D.A. 5/8" X 20"	MACLEAN	30502520	J8870	
BOLT. D.A. 5/8" X 22"	MACLEAN	30502522	J8872	
BOLT, EYE 5/8 X 10	HUBBELL	30505510	29960	
BOLT, EYE 5/8 X 12	HUBBELL	30505512	29962	
BOLT, EYE 5/8" X 14"	HUBBELL	30505514	29964	
BOLT, MACHINE 5/8" X 10	HUBBELL	30506510	8810	
BOLT, MACHINE 5/8" X 12	HUBBELL	30506512	8812	
BOLT,MACHINE 5/8" x 14"	HUBBELL	30506514	8814	
BOLT, MACHINE 5/8" X 16	HUBBELL	38506516	8816	
BRACKET, NEUTRAL OFFSET	Hubbell	30805000	DC6N1	
CLAMP, DEADEND #4- 4/0	MACLEAN	31003040	HDSO-57	
CLAMP, GROUND ROD 5/8" CU.	ERICO	31004200	CP58	LINE HARDWARE RC-58CB may BABA
CLAMP, HOT LINE - CU TO CU 2/0	HUBBELL	31005020	BC-20	
CLEVIS, RIGID 3" - FOR K14C, J	HUBBELL	31404003	0 327	
CONNECTOR, CRIMPIT WR 189	BLACKBURN	31550189	289	
CRIMPIT, YC4C4	BURNDY	31550044	C4C4	
CRIMPIT,YC4C6	BURNDY	31550046	C4C6	
CONN, TRANS . GROUND LUG	HOMAC	31502000	TTC2	LINE HARDWARE TGL-208 may be BABA
FUSE,25KV/14.4 STD SPEED 10E	S&C	31772510	S&G #613010	
FUSE,15KV/7.2 STD SPEED 5 STD	S&C	31770005	64005	
FUSE,15KV/7.2 STD SPEED 30STD	S&C	31770030	64030	
FUSE,15KV/7.2 STD SPEED 2AMP	S&C	31770002	64002	
GUY ATTACHMENT W/EYELET 5/8"	MACLEAN	31801210	MGA-5	
LINK STRAIGHT FOR POLE BAND	Hughes Bros	31801501	Hughes Brothers# 3152, Hubbell# J6650	
GUY DEADEND 3/8" - PREFORMED	PLP	31802138	GDE1107	
GUY DEADEND, STRANDWISE 3/8"	HUBBELL OR MACLEAN	31802238	Hubbell GDE5202 OR Maclean 5102	
GUY GUARD	PLP	31804000	PG5518	

Item Name	GVP Default Vendor Name	GVP Item Number	GVP Default manufacturer P/N	Notes
INSULATOR, FISH 78" CLEVIS/THEMBLE	ALUMA FORM	32001000	FGS21-78CT	
INSULATOR, PIN TYPE 14.4 - J	Victor	32003214	1027ST	
INSULATOR, SPOOL 3"	PPC	32008003	5101	
STAPLES,1-1/2x1/4 SLASH POINT	MACLEAN	32009000	J1672	
NUT,EYE 5/8"	HUBBELL	32702058	6502	
LOCKNUTS 5/8" #3512	HUBBELL	32704058	3512	TF 62CNMFG/SQ/DOM may be BABA
PIN, POLE TOP 14.4	HUBBELL	32805014	2195P	
BUSHING COVER HALF	MIDSUN	33001085	WUEB #E/BC-HALF	
BUSS, SEC. INSULATED 6 TAP	HOMAC	33002206	RAB6-C	
ROD, GROUND 5/8" CU	GALVAN INDUSTRIES	34005258	615883	This is buy american not BABA
SCREW, LAG 1/4 X 2 1/2	ELECTRICAL MATERIALS CO	34253001	105MSS	
SCREWS, LAG, TWIST, 1/2" X 4"	HUBBELL	34253004	508500	
TIE, #4-SUPER TOP	HUBBELL	36001004	STT20	
RISER GUARD 3" SCH 40	PRIME CONDUIT	36004530	59013N	
TRIPLEX, DEADEND #2	PLP	36009002	SG-4504	
WASHER, SQUARE 2 1/4" FLAT	MacLean	36503002	J1075-US	
WASHER, 3" CURVED	Hughes Bros	36503103	682212	
ALUM. TRANS.CONN. 350 MCM 5/8" 6 POSTIO	HOMAC	36506307	CSW6350 SLC	
Pulling GRIP, KELLEMS 1.00 - 1.24 (Underground Designed Grips)	HUBBELL/Bryant	None	SPC100SO	
GRIP, KELLEMS 1.00 - 1.24	HUBBELL/Bryant	37000124	SPC100SO	

Item Name	GVP Default Vendor Name	GVP Item Number	GVP Default manufacturer P/N	Notes
COVER CAP, 25KV - INSULATED PROTECTION	ELASTIMOLD	37022500	273DRG	ABB 273DRG(3) Should be BABA we need a CERT
WIRE, #4 STR. COVERED COPPER	Service Wire	38003704	4-7RHH	When ordering need to ask for the cert they have a statement noting location
WIRE, #2 STR. COVERED COPPER	Service Wire	38003702	2-7 Cu Use-2 Rhh-Rhw	When ordering need to ask for the cert they have a statement noting location
WIRE, #8 SD BARE CU SOLID	Service Wire	38003408	BS0S8DP	When ordering need to ask for the cert they have a statement noting location
WIRE, #6 SOLID SD COPPER	Service Wire	38003406	BS0S6DP	When ordering need to ask for the cert they have a statement noting location
WIRE, #4 SD BARE CU SOILD	Service Wire	38003404	BS0S4DP	When ordering need to ask for the cert they have a statement noting location
WIRE, GUY STRAND 3/8"	National Strand	38005038	1070323	Must be requested as BABA when ordering
SPLICE, 25 KV-1/0 MCM	ABB/ELASTIMOLD	58022510	25PCJ1H1240	
TERMINAL, PIN #2	HOMAC	38506002	U5U2	
TERMINAL, PIN #4/0	HOMAC	38506040	RX5U40	
TERMINAL, PIN 350	HOMAC	38506035	RX5U336	
ELBOW, LB 25 KV-1/0 MCM	ABB/ELASTIMOLD	59016410	262LRJS-C5240	
TERMINATOR, 25 KV - 1/0 MCM	3M	59022210	PCT21240-4	
ANCHOR, CROSS PLATE 20"	CHANCE	20200300	X20	
ARRESTER, 10kV, MED DUTY	HUBBELL	20300407	217259-7324	Eaton Cooper may have a BABA compliant material: 18KV HD U-SIL ARR W/BRKT/URT18080A1A1B1A
CUTOUT/ARRESTER COMBO 15kV	HUBBELL	20300807	CP71DL112PB	
BRACKET,STANDOFF 24"	HUBBELL	20809000	1SBM24SGL	
BRACKET, CLOVERLEAF 18"	HUBBELL	20809010	1SBM18CL	
CUTOUT,FUSED NON LOADBREAK 15KV	HUBBELL	21750200	CP710112PB	
CUTOUT, FUSED W/LOADBREAK 15/27KV	ABB	21750114	Y2JCBNQA12	
EPOXILATORS 25KV	HUBBELL	22007025	401025-0215	
POLE, WOOD 35'/4	Bell	23003504	WRC 4/35 W1.1G	When ordering need to ask for the cert
POLE, WOOD 40'/4	Bell	23004004	WRC 4/40 W1.1G	When ordering need to ask for the cert
POLE, WOOD 45'/4	Bell	23004504	WRC 4/45 W1.1G	When ordering need to ask for the cert
POLE, WOOD 55'/4	Bell	23005504	WRC 55/4 W1.1G	When ordering need to ask for the cert
ROD, ANCHOR 3/4" X 8' TWINEYE	Hubbell	24001275	5358 OR J7528	
WIRE, #4 ACSR 7/1 - 14.9'/#	SOUTHWIRE	28002004	Swanate 8955FT Reels	There may be a product that is BABA complaint
WIRE, #2 TRIPLEX - 3.62'/#	Service Wire	28006002	#2 Triplex Conch 1800' REEL	
ARRESTER, 10KV, RISER	HUBBELL	51501009	HUBBELL 221609-7324	

Item Name	GVP Default Vendor Name	GVP Item Number	GVP Default manufacturer P/N	Notes
ARRESTER, ELBOW 15 KV SURGE	ELASTIMOLD	51511007	167ESA-10	We have seen that there is BABA for 7.2KV there may be a 25KV Version
CAB SECT 1PH 25KV W/MODULE	NORDIC	54000502	ND-362454-MG-1104252W1A	
VAULT,ROUND W/COVER & RING	RINKER	57250000	40400, 40150, 40750	
JUNCTION BOX ABOVE GRADE	NORDIC	57301002	AG-15HDXB0005P3 WUE #PSP-151530-MG-CE	
GROUND SLEEVE, TRANS 1-PH (TALL)	NORDIC	59506350	CBP-37-43-24A-AB-2	
*WIRE, URD TRIPLEX 350 W/ 4/0	SOUTHWIRE	59905035	SOUTH WIRE -WESLEYAN	
WIRE, 25 KV-1/0 MCM OKONITE	OKONITE	59922510	163-23-4072	
METER PEDESTAL	DURHAM	66000001		
XFMR 1.0 KVA CONV 7.2 120V	ERMCO	16701012	30131-102DOE	When ordering need to ask for the cert
XFMR PAD 15 KVA 1PH 7.2 120/240	ERMCO	17701512	8-40111-200DOE	When ordering need to ask for the cert
XFMR PAD 50 KVA 1PH 7.2 120/240	ERMCO	17715012	8-70111-200DOE	When ordering need to ask for the cert
Hill Huggers	NORDIC	59506310	NHH-32-46-52-MG	
3" HDPE SDR 11	Duraline			
3" Elbows-PVC 48" sweep	Atkore/Prime			
3" Elbows 90degree-PVC 36" sweep	Atkore/Prime	36203090		
CONDUIT, PVC 3" SCH 40 10'LENGTH	ATKORE IS PREFFERED	56002030		
CONDUIT, PVC 2.5" SCH 40 10'LENGTH	ATKORE IS PREFFERED	56002030		
3" to 2.5" Reducer PVC	TBD			
3" HDPE to PVC Transistion	OMNICable			
Storm Safe-#2 Triplex Connector	Blackburn	TBD		
HEAT SHRINK PRIMARY 1/0 - 48"	3M, TE OR RAYCHEM	38007836	MWTM 85/25-1200-S	
Pole Foam	POLECRETE	30100188	PS-230W POLE SET KIT 30LB MUST SHIP PART A AND B	
#SGD-0700 GUY WIRE CAGE		38005030	#SGD-0700 GUY WIRE CAGE	
UNDERGROUND WARNING SIGN PLASTIC STACK	UNDERGROUND WARNING SIGN PLASTIC STACK	34300003	UNDERGROUND WARNING SIGN PLASTIC STACK	
WARNING TAPE UG	WARNING TAPE UG	34300002	ND6R2	
POLYWATER - PJ 128	POLYWATER - PJ 128	30100128	POLYWATER - PJ 128	
CRC CABLE CLEAN RD 02150	CRC CABLE CLEAN RD 02150	30012150	CRC CABLE CLEAN RD 02150	
#SL150 SILICONE LUBRICANT		30010150	HUBBELL G661 5.3 TUBE	
TAPE-SCOTCH 3/4" VIOLET 35	Scotch	30011271	TAPE-SCOTCH 3/4" VIOLET 35	
TAPE-SCOTCH 3/4" BROWN 35	Scotch	30010885	TAPE-SCOTCH 3/4" BROWN 35	
TAPE SUPER 88 3/4" BLACK	Scotch	30010875	TAPE SUPER 88 3/4" BLACK	
TAPE-SCOTCH 3/4" ORANGE 35	Scotch	30010869	TAPE-SCOTCH 3/4" ORANGE 35	
TAPE - SCOTCH 3/4" GREEN 35	Scotch	30010851	TAPE - SCOTCH 3/4" GREEN 35	
TAPE - SCOTCH 3/4" YELLOW 35	Scotch	30010844	TAPE - SCOTCH 3/4" YELLOW 35	
TAPE SCOTCH 35 3/4" BLUE	Scotch	30010836	TAPE SCOTCH 35 3/4" BLUE	
TAPE SCOTCH 35 3/4" WHITE	Scotch	30010828	TAPE SCOTCH 35 3/4" WHITE	
TAPE SUPER 88 1-1/2" BLACK	Scotch	30010815	TAPE SUPER 88 1-1/2" BLACK	
TAPE SCOTCH 35 3/4" RED	Scotch	30010810	TAPE SCOTCH 35 3/4" RED	